



Doctor: **A QUIEN CORRESPONDA**

Fecha: **23/06/2022**

Paciente: **DANIEL RAMON TREJO DZUL**

Sexo: **MASCULINO**

Folio: **230622F132**

Edad: **39 AÑOS**

TEST	RESULTADO	VALOR DE REFERENCIA
ANTIGENO SARS-COV-2	POSITIVO	NEGATIVO

INTERPRETACION: **POSITIVO**

METODO: INMUNOENSAYO CROMATOGRAFICO
MUESTRA: EXUDADO FARINGEO / NASOFARINGEO

El ensayo ANTIGENO SARS-CoV-2 se utiliza como ayuda en el diagnóstico de la infección por SARS-CoV-2, junto con las manifestaciones clínicas y otras pruebas del laboratorio.

El resultado del test no debe utilizarse exclusivamente para la determinación del tratamiento o las decisiones sobre la gestión de los pacientes, sino que debe interpretarse en el contexto de las exposiciones recientes del paciente y su historial clínico.

Puede obtenerse un resultado negativo si la concentración de antígeno de una muestra es inferior al límite de detección.

Los resultados negativos no descartan la infección por SARS-CoV-2

For airport authorities. In this document, laboratory Puerto Aventuras certifies the analysis of the aforementioned sample for the molecular detection (Antigen Test) of SARS-CoV-2 which is "Negative". The interpretation of this result means that we didn't find any evidence of the virus in the sample tested.

ATENTAMENTE

Q.F.BT. ÁLVARO CORTÉS MAYO
CED.PROF.12565929

Laboratorio Puerto Aventuras SA de CV
www.biomedicgroup.com.mx

Nº de Ingreso COFEPRIS 2308/LRC/RSS/40/2021

DICTAMEN SANITARIO DPCRS-CZNCS-026-2021